



### SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

### Clearon EZ Bleach Disinfectant Tablets EZBDT101

14/07/2014

Revision: 1

### 1. Identification of the substance & the company Chemical name **Clearon Bleach Tablets** Effervescent NaDCC Tablets. Synonym(s) Type of product and use Multi-purpose product including bleaching, cleaning, and deodorizing. Clearon Corp. Supplier 95 MacCorkle Ave. SW. South Charleston, WV 25303, USA Toll Free Number: 1-800-811-2327 **Emergency Telephone** Medical: (800) 420-9236 Chemtrec: (800) 424-9300

### 2. Hazards identification

GHS classification

Product name Product id

**Revision date** 

Eye Irrit. 2, H319 Causes serious eye irritation STOT SE 3, H335 May cause respiratory irritation Aquatic Acute 1, H400 - Very toxic to aquatic life Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects

Labels and other form of warning

Symbol(s)



Signal Word Hazard statements

#### WARNING

H319 - Causes serious eye irritation H335 - May cause respiratory irritation H410 - Very toxic to aquatic life with long lasting effects EUH031 - Contact with acids liberates toxic gas





www.berkshire.com

## SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014	Revision: 1
Precautionary statements	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray</li> <li>P264 - Wash hands thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P273 - Avoid release to the environment</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face</li> <li>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for s minutes. Remove contact lenses, if present and easy to do. Continue</li> <li>P337 + P313 - If eye irritation persists: Get medical advice/attention</li> <li>P304 + P340 - IF INHALED: Remove person to fresh air and keep cobreathing</li> <li>P312 - Call a POISON CENTER or doctor/physician if you feel unwe</li> <li>P391 - Collect spillage</li> <li>P403 + P233 - Store in a well-ventilated place. Keep container tightly</li> <li>P405 - Store locked up</li> <li>P501 - Dispose of contents/container in accordance with national an regulations</li> </ul>	everal e rinsing omfortable for II / closed

### 3. Composition / information on ingredients

Components	CAS No.	Weight %
DICHLOROISOCYANURIC ACID, SODIUM SALT OF	2893-78-9	30-62.5
INERT INGREDIENTS		37.5-70
· · · · · · · · · · · · · · · · · · ·		

a poison control center or doctor for treatment advice.

### 4. First-aid measures

Eye contact

Skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call

Inhalation

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.



4



## SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	Clearon EZ Bleach Disinfectant Tablets
Product id Revision date	EZBDT101 14/07/2014 Revision: 1
Ingestion	Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Most important symptoms and	l effects, acute or delayed
- Eye Contact	This material is corrosive to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact.
- Skin contact	Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer based on studies with guinea pigs.
- Inhalation	This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.
- Ingestion	Not a likely route of exposure. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur
Note to physician	No specific antidote. Treat symptomatically and supportively. Probable mucosal damage may contraindicate the use of gastric lavage.
Medical conditions aggravated by exposure	Eye disorders, respiratory disorders, skin disorders and allergies



ŝ

ê



## SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014 Revision: 1
5. Fire - fighting meas	sures
Suitable extinguishing media	Large amounts of water may be needed and the flow of water should not be stopped until the fire/reaction has stopped.
Extinguishing media not to be used	Avoid using dry chemicals, carbon dioxide or halogenated extinguishing agents.
Unusual fire and explosion hazards	When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, nitrogen, cyanogen chloride, phosgene, chlorine and CO.
Fire fighting procedure	Cool containers with water spray. Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.
6. Accidental release	measures
Personal precautions	Avoid contact with skin, eyes and clothing. Chemical safety goggles Chemical resistant gloves
Methods for cleaning up	Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur. Do not close containers containing wet or damp material. Do not transport damp or wet material.
Environmental precautions	Prevent flow of material into water source and begin monitoring available chlorine and pH immediately.
- Soil	Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.
- Water	This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.
- Air	Vapors may be suppressed by the use of water fog.

{ Page 4 of 10 }





### SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014	Revision: 1

# 7. Handling and storage

Handling

Avoid contact with skin, eyes, and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing the substance. Use respiratory protection when exposure is possible. Vapour space in a closed container may contain a slight amount of chlorine gas and compounds fromdecomposition of the product.

Storage

Store in a dry, cool (< 25°C), well ventilated area away from incompatible materials (see "materials to avoid"). Do not allow water to get into the container.

### 8. Exposure controls / personal protection

#### Exposure Limits :

Components	ACGIH-TLV Data	OSHA (PEL) Data
DICHLOROISOCYANURIC ACID, SODIUM SALT OF 2893-78-9	Not determined	Not determined
ADIPIC ACID 124-04-9	5 mg/m <sup>3</sup>	Not determined
SODIUM BICARBONATE 144-55-8	Not determined	Not determined
SODIUM CARBONATE 497-19-8	Not determined	Not determined

Ventilation requirements

This material should be handled in a well-ventilated area. Use local exhaust as necessary, especially under dusty conditions.

Personal protective equipment:

- Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.
- Hand protection Chemical resistant gloves, PVC or nitrile recommended
- Eye protection
- Skin and body protection Use pr

Hygiene measures

Chemical safety goggles Use protective clothing impervious to this material.

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands thoroughly after handling and before eating or smoking. Safety shower and eye bath should be provided.

### 9. Physical and chemical properties

Appearance Odor pH White to off white tablets Slight chlorine. 5-6

{ Page 5 of 10 }



,

è



## SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	Clearon EZ Bleach Disinfectant Tablets
Product id	EZBDT101
Revision date	14/07/2014 Revision: 1
Boiling point/range	Not applicable
Flash point	Not applicable
Evaporation rate (ether=1)	Not applicable under standard conditions
Flammability (solid, gas)	Not flammable
Vapor pressure	Not applicable under standard conditions
Vapor density	Not applicable under standard conditions
Solubility:	
- Solubility in water	Completely miscible
Partition coefficient (n-octanol/water)	Log Kow - 0
Auto-ignition temperature	Not applicable
Decomposition temperature	225-250°C (437-482°F)
-	
10. Stability and reacti	vity
Reactivity	Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes.
Stability	Stable under normal conditions
Stability Possibility of hazardous	Contact with acid liberates toxic gases If heated by outside source to temperatures
reactions	Contact with acid inclates toxic gases in heated by outside source to temperatures
leadions	above 240°C (464°F), this product will undergo decomposition with the evolution of
Conditions to avoid	
	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases.
	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic
	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active
Conditions to avoid	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of
Conditions to avoid	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water
Conditions to avoid	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily
Conditions to avoid	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing
Conditions to avoid	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium
Conditions to avoid Materials to avoid	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite and alkalis.
Conditions to avoid Materials to avoid Hazardous decomposition	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium
Conditions to avoid Materials to avoid	above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases. Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite and alkalis.

## 11. Toxicological information

Note:	The toxicological data refer only to the active ingredient unless otherwise specified
Likely Routes of Exposure	Skin Eye contact Inhalation Ingestion

{ Page 6 of 10 }



?



## SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014 Revision: 1
Acute toxicity: - Rat oral LD50	>2000 mg/kg (the product as a whole)
- Rabbit dermal LD50	>5000 mg/kg
- Rat inhalation LC50	0.27-1.17 mg/L/4h
- Dermal irritation (rabbit)	Moderate irritant
- Eye irritation (rabbit)	Severe irritant
Dermal sensitization	Not a sensitizer
Chronic toxicity	Chronic inhalation exposure may cause impairment of lung function and permanent lung damage. Based on animal studies, exposure to concentrations of monosodium cyanurate at the solubility limit may cause cardiovascular, kidney and urinary bladder effects.
Mutagenicity	Not mutagenic by the Ames Test.
Carcinogenicity	Not known to be a carcinogen. Not classified by IARC, OSHA, EPA. Not included in NTP 13th Report on Carcinogens
Reproductive toxicity	No data available
12. Ecological inform	ation
Note:	The environmental toxicity data mentioned below are from studies conducted on the active ingredient.
Aquatic toxicity : - 96 Hour-LC50, Fish	0.13-0.36 mg/l (Rainbow trout) 0.25-1.0 mg/l (Bluegill sunfish) 1.21 mg/l (Inland silverside)
- 96 Hour-EC50,Marine	1.65 mg/l (96h, Mysid shrimp)
Invertebrate - 48 Hour-EC50,Marine Invertebrate	0.196 mg/l (Water flea)
Avian toxicity: - Oral LD50, Bobwhite quail	1732 mg/kg
	{ Page 7 of 10 }



ŝ



## SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014 Revision:
1916 mg/kg
>10,000 ppm 10,000 ppm
The materials used in this preparation will not persist in the environment. The free available chlorine from Sodium dishloroisocyanurate is rapidly consumed by reaction with organic and inorganic materials to produce chloride ion. The stable degradation products are chloride ion and cyanuric acid. Sodium Dichloroisocyanurate is subject to hydrolysis. Cyanuric acid produces by hydrolysis is biodegradable.
Not bioaccumulative
Not considered to be PBT or vPvB
ations
Avoid access to streams, lakes or ponds. Observe all federal, state and local environmental regulations when disposing of this material. Do not transport damp or wet material. Neutralise materials to a non-oxidising state for safe disposal.
Clean Container and dispose of according to local and national regulations

Independent tests, carried out by TNO Prins Mauritis Laboratory, conducted according to the procedure as described in the United Nations Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, third revised edition, test O.1. have demonstrated that the product is not oxidizing for transport

DOT

#### NOT REGULATED FOR ROAD TRANSPORTATION

For Vessel only: UN No. 3077 Proper shipping name: Environmentally hazardous substance, solid, n.o.s (contains Sodium dichloro-s-triazinetrione) Class: 9 - Miscellaneous Hazardous Materials Packing Group: III Labels: 9 Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not

apply to all shipping modes or package sizes.



i

÷



## SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Clearon EZ Bleach Disinfectant Tablets EZBDT101 14/07/2014	Revision: 1
15. Regulatory information	ation	
USA	This product is registered under FIFRA	
- EPA Registration no.	71847-6-69470	
- Emergency overview in accordance to EPA Master Labe	DANGER I Corrosive Causes irreversible eye damage Harmful if swallowed, inhaled or absorbed through the skin Strong oxidizing agent	
CERCLA/SARA - 302 ext. haz. substances	This material contains hazardous substance (Adipic Acid) as defined by CERCLA/SARA and the Reportable Quantity (RQ) is 5000 lbs.	
- SARA (311, 312)	This product is categorized as an immediate health hazard, and fire a physical hazard (Sodium dichloroisocyanurate)	and reactivity
- Massachusetts Right-to-Know	Listed (Adipic Acid, Sodium dichloroisocyanurate)	
Hazardous Substances list - New Jersey Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)	
- Pennsylvania Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)	
- Rhode Island Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)	
Canada	Listed in DSL	
WHMIS hazard class	For Sodium dichloroisocyanurate: C oxidizing materials D1B Toxic material causing immediate and serious toxic effects D2B Toxic materials causing other toxic effects	
	For Sodium Carbonate: E corrosive material D2B Toxic materials causing other toxic effects	
EU	All ingredients are reported in EINECS	

{ Page 9 of 10 }





### SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

#### Clearon EZ Bleach Disinfectant Tablets EZBDT101

14/07/2014

Revision: 1

### **16. Other information**

#### All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Clearon Corp. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Clearon Corp. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

#### Prepared by

Product name

Revision date

Product id

2

North America Regulatory Affairs ICL-IP America Inc. 95 MacCorkle Ave.,S.W. South Charleston,WV 25303, USA Phone number:(304)746-3000

End of safety data sheet