

CHAMPION ANTI-FOG PLEXIGLASS CLEANER

1. Product And Company Identification			
<u>Supplier</u> Chase Products Co. 19th and Gardner Road Broadview, IL 60155 USA	<u>Manufacturer</u> Chase Products Co. 19th and Gardner Road Broadview, IL 60155 USA		
Company Contact: Aludia B. Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com	Company Contact: Aludia B. Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com		
Supplier Emergency Contacts & Phone Number Chem-Tel: 1-800-255-3924	Manufacturer Emergency Contacts & Phone Number Chem-Tel: 1-800-255-3924		
Issue Date: 06/22/2005 Product Name: CHAMPION ANTI-FOG PLEXIGLASS CLEANER Chemical Name: 7-7750-1 CAS Number: Not Established MSDS Number: 3304 Product Code: 438-5142-2 Product/Material Uses - Anti-Fog Plexiglass Cleaner			
2. Composition/Information On Ingredients			
Ingredient Name	CAS		Percent Of Total Weight
ETHYL ALCOHOL	64-	17-5	
ISOBUTANE	75-2	28-5	
PROPANE	74-5	98-6	
Hazardous components, according to OSHA, are listed when present at 1.0% or greater. Carcinogens are listed when present at 0.1% or greater.			
3. Hazards Identification			
Primary Routes(s) Of Entry - Ingestion (possible, but cons Eye Hazards - Can cause irritation after contact with the eye Skin Hazards - May cause skin irritation after prolonged const Ingestion Hazards - This is an aerosol product, ingestion in Inhalation Hazards - Deliberate inhalation of concentrate we Chronic/Carcinogenicity Effects - Not known, chronic effects product are listed as carcinogenic by NTP, IARC or OSHA. Teratogenicity (Birth Defects) - Not known Reproductive Effects - Not known Neurotoxicity - Not known Mutagenicity (Genetic Effect) - Not known Signs And Symptoms - Acute: Deliberate inhalation of con- nausea. Prolonged and repeated contact with skin may cause Conditions Aggravated By Exposure - May aggravate pro-	yes. ontact with skin. s unlikely to occur. vapor or mist may cause headach ects based on available data. Not ncentrate vapor or mist may caus se irritation. Contact with the eyes	nes, dizzir ne of the i e headac	ness and nausea. Ingredients on this hes, dizziness and

MATERIAL SAFETY DATA SHEET CHAMPION ANTI-FOG PLEXIGLASS CLEANER

First Aid (Pictograms)



4. First Aid Measures

Eye - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call a poison control center or doctor for treatment advice. **Skin** - Wash skin with soap and water. If irritation develops, call a poison control center or doctor for treatment advise. **Ingestion** - Ingestion from an aerosol product is unlikely to occur. In case of accidental ingestion, do not induce vomiting unless directed by a physician.

Inhalation - If overcome by vapor move victim to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.

5. Fire Fighting Measures

Flash Point: Not available °F Not available °C Flash Point Method: Not available Lower Explosive Limit: Not available Upper Explosive Limit: Not available

Fire And Explosion Hazards - This product is an aerosol product for which Flame Projection is 0 in. Temperatures above 120 F may cause cans to burst. **Extinguishing Media** - Use CO2 (Carbon Dioxide), dry chemical, or water fog. Fire Fighting Instructions - Water spray may be used to cool cans in the vicinity of fire or excessive heat.

6. Accidental Release Measures

Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.

7. Handling And Storage

Handling And Storage Precautions - Store in a cool, dry place away from heat and open flame. Handling Precautions - Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes. Keep out of reach of children.

Storage Precautions - Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity). AEROSOL STORAGE LEVEL I (NFPA-30B) Work/Hygienic Practices - Wash thoroughly after handling.

Protective Clothing (Pictograms)



8. Exposure Controls/Personal Protection

Engineering Controls - Use with adequate general and local exhaust ventilation. **Eye/Face Protection** - Conventional eyeglasses to guard against splashing. Skin Protection - Household type gloves, if desired. **<u>Respiratory Protection</u>** - None required if used in a well-ventilated area.

Ingredient(s) - Exposure Limits

ETHYL ALCOHOL ACGIH TLV-TWA 1000 ppm ; OSHA PEL-TWA 1000 ppm

MATERIAL SAFETY DATA SHEET

CHAMPION ANTI-FOG PLEXIGLASS CLEANER

8. Exposure Controls/Personal Protection - Continued

Ingredient(s) - Exposure Limits - Continued

PROPANE

ACGIH TLV-TWA 2500 ppm ; OSHA PEL-TWA 1,000 ppm

9. Physical And Chemical Properties

<u>Appearance</u> - Clear, colorless liquid. <u>Odor</u> - Characteristic odor of Lilac.

Chemical Type: Mixture Physical State: Liquid Melting Point: Not applicable °F Not applicable °C Boiling Point: water 212 °F water 100 °C Specific Gravity: 0.984 concentrate Percent VOCs: 11.68 pH Factor: 9 - 10.8 Solubility: Soluble in water Evaporation Rate: Faster than butyl acetate

10. Stability And Reactivity

Stability: Stable Hazardous Polymerization: Will not occur

<u>Conditions To Avoid (Stability)</u> - Temperatures above 120 F <u>Incompatible Materials</u> - Avoid heat, open flame and contact with strong oxidizers. <u>Hazardous Decomposition Products</u> - Thermal decomposition may yield gases like carbon monoxide and carbon dioxide. <u>Conditions To Avoid (Polymerization)</u> - Temperatures above 120 F

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

13. Disposal Considerations

Do not puncture or incinerate container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

14. Transport Information

Proper Shipping Name - ORM-D Consumer Commodity

Hazard Class

2.1

DOT Identification Number UN1950

DOT Shipping Label Aerosol Consumer Commodity

15. Regulatory Information

U.S. Regulatory Information - All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA Hazard Classes

Acute Health Hazard

<u>SARA Section 313 Notification</u> - This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

Ingredient(s) - State Regulations

ETHYL ALCOHOL


New Jersey - Workplace Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance

ISOBUTANE

New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance

PROPANE

New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance



16. Other Information

<u>Revision/Preparer Information</u> MSDS Preparer: Laura E. Radevski MSDS Preparer Phone Number: 708-865-1000 This MSDS Supercedes A Previous MSDS Dated: 12/23/2003

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

Chase Products Co.

Printed Using MSDS Generator™ 2000